

auxiliary current switch, 1 NO+1 NC for miniature circuit breaker 5SL,
5SY, 5SP Incorporated switch 5TL1, RCBO 5SU1, FI 5SV



Model	
Product brand name	SENTRON
Product designation	Auxiliary current switch
Design of the product	Mountable
Product details	
Product extension	Auxiliary current switch
can be mounted	RCBO and miniature circuit breaker
Mechanical Design	
Net weight	55 g
Reference identifier	SF
acc. to DIN EN 81346-2	

General Product Approval		Declaration of Conformity	Test Certificates	Shipping Approval
				
CCC	UR	VDE	EG-Konf.	LRS

[Miscellaneous](#)

other	Railway
Miscellaneous	Vibration and Shock

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3010>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5ST3010>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3010

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





